

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

instant messaging systems and contact information



### THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

# Terms used <u>instant messaging systems</u> and <u>contact information</u>

Found 112,257 of 161,645

Sort results by

Display

results

relevance expanded form

Save results to a Binder

Search Tips

Open results in a new

Try an <u>Advanced Search</u> Try this search in <u>The ACM Guide</u>

Results 1 - 20 of 200

window
Result page:

Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

Relevance scale

Best 200 shown

1 Queue Focus: Beyond Instant Messaging

John C. Tang, James Bo Begole November 2003 **Queue**, Volume 1 Issue 8

Full text available: pdf(925.99 KB)

Additional Information: full citation, index terms

<sup>2</sup> I M everywhere: Instant messaging in teen life

# html(35.63 KB)

Rebecca E. Grinter, Leysia Palen

November 2002 Proceedings of the 2002 ACM conference on Computer supported cooperative work

Full text available: pdf(348.66 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u>

Instant Messaging (IM) is being widely adopted by teenagers. In a study of 16 teenage IM users, we explore IM as an emerging feature of teen life, focusing our questions on its support of interpersonal communication and its role and salience in everyday life. We qualitatively describe the teens' IM use interpersonally, as well as its place in the domestic ecology. We also identify technology adoption conditions and discuss behaviors around privacy management. In this initial investigation, we fo ...

**Keywords**: CSCW, HCI, chat, communications, domestic information technology, instant messaging, qualitative user study, teenagers

M here: public instant messaging on large, shared displays for workgroup interactions Elaine M. Huang, Daniel M. Russell, Alison E. Sue



April 2004 Proceedings of the SIGCHI conference on Human factors in computing systems

Full text available: pdf(583.35 KB) Additional Information: full citation, abstract, references, index terms

Instant messaging (IM) in the workplace has proven to be a valuable tool for facilitating informal communication. Its benefits, however, are generally limited to times when users are in front of their computers. Because so much work takes place while people are mobile within their workplace, we sought to extend the benefits of IM beyond people's personal machines and into publicly accessible groupware. We first conducted a study of large display groupware applications (LDGAs) to understand the a ...

**Keywords:** computer mediated communication, groupware, instant messaging, large displays, public displays

Interaction and outeraction: instant messaging in action

Bonnie A. Nardi, Steve Whittaker, Erin Bradner

December 2000 Proceedings of the 2000 ACM conference on Computer supported cooperative work

Full text available: pdf(163.10 KB)

Additional Information: full citation, abstract, references, citings, index terms

We discuss findings from an ethnographic study of instant messaging (IM) in the workplace and its implications for media theory. We describe how instant messaging supports a variety of informal communication tasks. We document the affordances of IM that support flexible, expressive communication. We describe some unexpected uses of IM that highlight aspects of communication which are not part of current media theorizing. They pertain to communicative processes people use to connect with eac ...

Keywords: computer-mediated communication, informal communication, instant messaging, media theory, outeraction

5 Awareness of presence, instant messaging and WebWho Peter Ljungstrand, Ylva Hård af Segerstad

December 2000 ACM SIGGROUP Bulletin, Volume 21 Issue 3

Full text available: pdf(776.18 KB) Additional Information: full citation, abstract, references, citings

We report from a study of how awareness of presence can affect instant messaging behavior. WebWho is a web based awareness system that visualizes where people are located in a large university computer lab. It allows students to virtually locate one another and, among other functions, to communicate via an instant messaging system. Typically, instant messages are signed with the sender's name, but messages can also be sent anonymously. The students use the messaging system to support collaborati ...

Keywords: awareness of presence, computer-mediated communication, instant messaging, web visualization

6 Managing communications: Contact management: identifying contacts to support longterm communication



Steve Whittaker, Quentin Jones, Loren Terveen

November 2002 Proceedings of the 2002 ACM conference on Computer supported cooperative work

Full text available: pdf(206.57 KB)

Additional Information: full citation, abstract, references, citings, index terms

Much of our daily communication activity involves managing interpersonal communications and relationships. Despite its importance, this activity of contact management is poorly understood. We report on field and lab studies that begin to illuminate it. A field study of business professionals confirmed the importance of contact management and revealed a major difficulty: selecting important contacts from the large set of people with whom one communicates. These interviews also showed that communic ...

Keywords: PDAs, address books, asynchronous communication, communication history, contact management

Informing the design of an information management system with iterative fieldwork Victoria Bellotti, Ian Smith



# August 2000 Proceedings of the conference on Designing interactive systems: processes, practices, methods, and techniques

Full text available: pdf(645.09 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

We report on the design process of a personal information management system, Raton Laveur, and how it was influenced by an intimate relationship between iterative fieldwork and design thinking. Initially, the system was conceived as a paper-based UI to calendar, contacts, to-dos and notes. As the fieldwork progressed, our understanding of peoples practices and the constraints of their office infrastructures radically shifted our design goals away from paper-based interaction to embedded in ...

**Keywords:** design, field study, interview, iteration, personal information management

8 I Think, therefore IM: Hubbub: a sound-enhanced mobile instant messenger that supports awareness and opportunistic interactions Ellen Isaacs, Alan Walendowski, Dipti Ranganthan

April 2002 Proceedings of the SIGCHI conference on Human factors in computing systems: Changing our world, changing ourselves

Full text available: pdf(435.28 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>

There have been many attempts to support awareness and lightweight interactions using video and audio, but few have been built on widely available infrastructure. Text-based systems have become more popular, but few support awareness, opportunistic conversations, and mobility, three important elements of distributed collaboration. We built on the popularity of text-based Instant Messengers (IM) by building a mobile IM called Hubbub that tries to provide all three, notably through the use of earc ...

**Keywords:** Palm, awareness, earcons, instant messaging, mobile computing, sound IDs, sound instant messages, wireless

James D. Herbsleb, David L. Atkins, David G. Boyer, Mark Handel, Thomas A. Finholt
April 2002 Proceedings of the SIGCHI conference on Human factors in computing
systems: Changing our world, changing ourselves



Full text available: pdf(619.32 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>

We report on our experiences of introducing an instant messaging and group chat application into geographically distributed workgroups. We describe a number of issues we encountered, including privacy concerns, individual versus group training, and focusing on teams or individuals. The perception of the tool's utility was a complex issue, depending both on users' views of the importance of informal communication, and their perceptions of the nature of cross-site communication issues. Finally, we ...

**Keywords:** chat, distributed teams, groupware, instant messaging, presence awareness, technology diffusion

Educational & help systems: StudioBRIDGE: using group, location, and event information to bridge online and offline encounters for co-located learning groups



Susan Yee, Kat S. Park

#### April 2005 Proceedings of the SIGCHI conference on Human factors in computing systems

Full text available: pdf(346.59 KB) Additional Information: full citation, abstract, references, index terms

StudioBRIDGE is an awareness system, based on instant messaging (IM), developed for students working in open studio spaces in the Architecture Department at the Massachusetts Institute of Technology (MIT). The goal of StudioBRIDGE is to help students initiate online and offline interactions by giving them an awareness of nearby people, groups, locations, and events of the community. Even when students are working in close proximity to each other, they are often not aware of the activities and ex ...

Keywords: awareness, computer-mediated communication, informal interactions, opportunistic interfaces

11 I Think, therefore IM: When conventions collide: the tensions of instant messaging attributed

Amy Voida, Wendy C. Newstetter, Elizabeth D. Mynatt

April 2002 Proceedings of the SIGCHI conference on Human factors in computing systems: Changing our world, changing ourselves

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(360.81 KB)

We discuss findings from observation, interviews, and textual analysis of instant messaging use in a university research lab setting. We propose a method for characterizing the tensions that permeate instant messaging texts and that expose the collision between conventions of verbal and written communication. Given this method, we suggest a design space for exploring potential design choices in instant messaging clients. Finally, we recommend an analysis of communicative conventions as a fruitfu ...

Keywords: computer-mediated communication, computer-supported cooperative work, instant messaging, interaction design, sociolinguistics

12 I M everywhere: The character, functions, and styles of instant messaging in the workplace

Ellen Isaacs, Alan Walendowski, Steve Whittaker, Diane J. Schiano, Candace Kamm November 2002 Proceedings of the 2002 ACM conference on Computer supported cooperative work

Additional Information: full citation, abstract, references, citings, index Full text available: mpdf(519.02 KB) terms

Current perceptions of Instant Messaging (IM) use are based primarily on self-report studies. We logged thousands of (mostly) workplace IM conversations and evaluated their conversational characteristics and functions. Contrary to prior research, we found that the primary use of workplace IM was for complex work discussions. Only 28% of conversations were simple, single-purpose interactions and only 31% were about scheduling or coordination. Moreover, people rarely switched from IM to another me ...

Keywords: informal communication, instant messaging, media switching, multitasking, workplace collaboration

13 Astrolabe: A robust and scalable technology for distributed system monitoring. management, and data mining Robbert Van Renesse, Kenneth P. Birman, Werner Vogels



#### May 2003 ACM Transactions on Computer Systems (TOCS), Volume 21 Issue 2

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(341.62 KB) terms

Scalable management and self-organizational capabilities are emerging as central requirements for a generation of large-scale, highly dynamic, distributed applications. We have developed an entirely new distributed information management system called Astrolabe. Astrolabe collects large-scale system state, permitting rapid updates and providing on-the-fly attribute aggregation. This latter capability permits an application to locate a resource, and also offers a scalable way to track sys ...

**Keywords**: Aggregation, epidemic protocols, failure detection, gossip, membership, publish-subscribe, scalability

14 Personal technologies: Making space for stories: ambiguity in the design of personal communication systems

Paul M. Aoki, Allison Woodruff

April 2005 Proceedings of the SIGCHI conference on Human factors in computing systems

Full text available: pdf(240.33 KB) Additional Information: full citation, abstract, references, index terms

Pervasive personal communication technologies offer the potential for important social benefits for individual users, but also the potential for significant social difficulties and costs. In research on face-to-face social interaction, ambiguity is often identified as an important resource for resolving social difficulties. In this paper, we discuss two design cases of personal communication systems, one based on fieldwork of a commercial system and another based on an unrealized design concept. ...

Keywords: ambiguity, face-work, leases, mediated communication, push-to-talk

15 A system for the seamless integration of personal messages using agents developed on a lotus notes platform.

Ramiro Liscano, Roger Impey, Paul Gordon, Suhayya Abu-Hakima

November 1996 Proceedings of the 1996 conference of the Centre for Advanced Studies on Collaborative research

Full text available: pdf(92.87 KB) Additional Information: full citation, abstract, references, index terms

We introduce a seamless messaging system for the management of personal messages. The aim of it is to intercept, filter, interpret, and deliver multimodal messages (voice, fax. and/or e-mail messages). Messages are delivered to the recipient regardless of their target messaging device. Seamless messaging involves finding the person (if urgent) and delivering the information to them on their cellular phone, pager, laptop, nearest fax, telephone, or workstation. The system includes a set of person ...

16 ContactMap: Organizing communication in a social desktop

Steve Whittaker, Quentin Jones, Bonnie Nardi, Mike Creech, Loren Terveen, Ellen Isaacs, John Hainsworth

December 2004 ACM Transactions on Computer-Human Interaction (TOCHI), Volume 11 Issue 4

Full text available: pdf(4.29 MB) Additional Information: full citation, abstract, references, index terms

Modern work is a highly social process, offering many cues for people to organize communication and access information. Shared physical workplaces provide natural support for tasks such as (a) <i>social reminding</i> about communication commitments and keeping track of collaborators and friends, and (b) <i>social data mining</i> of local

expertise for advice and information. However, many people now collaborate remotely using tools such as email and voicemail. Our field studie ...

Keywords: Email, human-computer interaction, instant messaging, interpersonal communication, iterative user-centered design, personal information management, personal social desktop, social data mining, social reminding, visualization

17 System technology: Supporting activity-centric collaboration through peer-to-peer shared objects



Werner Geyer, Jürgen Vogel, Li-Te Cheng, Michael Muller

November 2003 Proceedings of the 2003 international ACM SIGGROUP conference on Supporting group work

Full text available: pdf(366.92 KB)


Additional Information: full citation, abstract, references, citings, index terms

We describe a new collaborative technology that is mid-way between the informality of email and the formality of shared workspaces. Email and other ad hoc collaboration systems are typically lightweight and flexible, but build up an unmanageable clutter of copied objects. At the other extreme, shared workspaces provide formal, structured collaboration. but are too heavyweight for users to set up. To bridge this gap between the ad hoc and formal, this paper introduces the notion of "object-centri ...

**Keywords:** activity-centric collaboration, emerging collaboration, object-centric sharing, peer-to-peer, replication, synchronization

18 Session 4: Context awareness for group interaction support

Alois Ferscha, Clemens Holzmann, Stefan Oppl



Full text available: pdf(363.86 KB) Additional Information: full citation, abstract, references, index terms

In this paper, we present an implemented system for supporting group interaction in mobile distributed computing environments. First, an introduction to context computing and a motivation for using contextual information to facilitate group interaction is given. We then present the architecture of our system, which consists of two parts: a subsystem for location sensing that acquires information about the location of users as well as spatial proximities between them, and one for the actual conte ...

Keywords: context awareness, group interaction, location sensing, sensor fusion

19 Late breaking result papers: HIM: a framework for haptic instant messaging A.F. Rovers, H.A. van Essen



Full text available: pdf(483.56 KB) Additional Information: full citation, abstract, references, index terms

Instant Messaging (IM) is a popular chatting platform on the internet and increasingly permeates teenage life. Even intimate and emotional content is discussed. As touch is a powerful signal for emotional content, haptic signals, and especially hapticons can contribute to overcome the inevi-table loss of subtle non-verbal communication cues. Audio-visual extensions of IM to share emotions, in particular emoticons, have been received enthusiastically by IM users. This indicates a realistic user-n ...

Keywords: communication, emoticons, hapticons, haptics, instant messaging (IM), intimacy, presence

20 Features: Instant Messaging or Instant Headache?

John Stone, Sarah Merrion April 2004 **Queue**, Volume 2 Issue 2

Full text available: pdf(2.55 MB)

# html(33.74 KB)

Additional Information: full citation, index terms

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



Web Groups News Froogle Local more » <u>Images</u>

instant messaging systems and contact inform Search

Advanced Search

The "AND" operator is unnecessary - we include all search terms by default. [details]

Web Results 11 - 20 of about 26,400,000 for instant messaging systems and contact information. (0.07 sec

#### This document presents an extension to the Session Initiation ...

(61677 bytes): Interoperation of instant messaging and presence systems has ... The Contact Information for Presence Information Data Format (CIPID) is an ...

www.ietf.org/ids.by.wg/simple.html - 18k - Cached - Similar pages

P-Mail: A Private Mail and Instant Messaging System P-Mail is an email and instant messaging system designed to ensure that messages remain private. ... If you have additional questions,

please contact us at ... www.agentbuilder.com/Documentation/PMail/ - 11k -Cached - Similar pages

### Apple - Mac OS X

Meet the world's most advanced operating system. Again. Instantly find what you're looking for. Get information in an instant with a single click. ... www.apple.com/macosx/ - 34k - Sep 15, 2005 - Cached - Similar pages

#### Downloads - Gaim

A multi-protocol instant messaging (IM) client. Source: tarball, bz2ball ... Also, gmake is installed simply as 'make' on some systems - if gmake isn't ... gaim.sourceforge.net/downloads.php - 15k - Sep 15, 2005 - Cached - Similar pages

#### FurrylM:- Instant Messaging with Furries

... together through the sharing of Internet Messaging contact information. ... With the advent of so many different Instant Messaging systems and their ... www.stripeymaney.com/furryim/ - 16k - Cached - Similar pages

#### Contact us

Instant messaging software, conferencing software and communication software, ... Name, Company, Contact information. Product serial number or your order ... www.cezeo.com/contact-us/ - 18k - Cached - Similar pages

Instant messaging software, instant messenger for LAN WAN Intranet ... Confidential information storage - secure password manager. ... You need an instant messaging system, but you want to avoid the risks of information theft ... www.cezeo.com/ - 35k - Sep 15, 2005 - Cached - Similar pages

RFC 3861 (rfc3861) - Address Resolution for Instant Messaging and ... RFC 3861 - Address Resolution for Instant Messaging and Presence. ... Please address the information to the IETF at ietf-ipr@ietf.org. ... www.faqs.org/rfcs/rfc3861.html - 18k - Cached - Similar pages

#### Instant Messaging

Instant Messaging (IM) technology has been around for some time. ... The instant inbox address is information that can be included in presence information ... www.techiwarehouse.com/cms/engine.php?page\_id=1746eedd - 27k -Cached - Similar pages

Sponsored Links

Instant messaging systems Search Online at Tunu.com for **Instant messaging systems** Articles Tunu.com

**Instant Messaging?** Brief and Straightforward Guide to Instant Messaging wisegeek.com

Learn IT: Instant Messaging in the Enterprise - a Whatis.com ... ... information and checks to see who on the contact list is also logged on. ... Intranet Journal has advice in Choosing an instant messaging system. ... searchcio.techtarget.com/ sDefinition/0,,sid19\_gci934583,00.html - 64k - Sep 15, 2005 -Cached - Similar pages

> ◆ Goooooooooogle ▶ Result Page: <u>Previous 1 2 3 4 5 6 7 8 9 1011</u>

> > instant messaging systems and conf Search

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - Hurricane Katrina Resources - About Google ©2005 Google

## **Hit List**

Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

Search Results - Record(s) 1 through 9 of 9 returned.

1. Document ID: US 20040161090 A1

Using default format because multiple data bases are involved.

L6: Entry 1 of 9

File: PGPB

Aug 19, 2004

PGPUB-DOCUMENT-NUMBER: 20040161090

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040161090 A1

TITLE: Rules based real-time communication system

PUBLICATION-DATE: August 19, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47 Digate, Charles J. Winchester MA US Herot, Christopher F. Newton Highlands MA US Ketudat, Tonytip Lexington MA US Kopikis, Alexis M. Brighton MA US

US-CL-CURRENT: <u>379/202.01</u>; <u>709/204</u>

		***************************************						
Full Title Citation	Front Review	Classification	Date	Reference	Sequences	Attachments	Claims	KAMC Draw, D4
	*	<u> </u>			· · · · · ·		·	·

2. Document ID: US 20040133638 A1

L6: Entry 2 of 9

File: PGPB

Jul 8, 2004

PGPUB-DOCUMENT-NUMBER: 20040133638

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040133638 A1

TITLE: Calendar-enhanced awareness for instant messaging systems and electronic

status boards

PUBLICATION-DATE: July 8, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47
Doss, J. Smith Raleigh NC US
Haverstock, Paul W. Acton MA US

Kovales, Renee M. Cary NC US

Pozefsky, Diane P.

Chapel Hill

US

Sundstrom, Robert J.

Cary

NC NC

US-

US-CL-CURRENT: 709/203; 707/104.1, 715/738

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

3. Document ID: US 20040128353 A1

L6: Entry 3 of 9

File: PGPB

Jul 1, 2004

PGPUB-DOCUMENT-NUMBER: 20040128353

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040128353 A1

TITLE: Creating dynamic interactive alert messages based on extensible document

definitions

PUBLICATION-DATE: July 1, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

RULE-47

Goodman, Brian D.

New York

NY

US

Jania, Frank

Norwalk

CT ·

US

US-CL-CURRENT: 709/204

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims MMC Draw De

4. Document ID: US 20040034723 A1

L6: Entry 4 of 9

File: PGPB

Feb 19, 2004

PGPUB-DOCUMENT-NUMBER: 20040034723

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040034723 A1

TITLE: Converged conferencing appliance and methods for concurrent voice and data

conferencing sessions over networks

PUBLICATION-DATE: February 19, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

RULE-47

Giroti, Sudhir K.

Acton

MΑ

US

US-CL-CURRENT: 710/8

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims MMC Disw. De

Record List Display Page 3 of 6

#### 5. Document ID: US 20030120593 A1

L6: Entry 5 of 9

File: PGPB

Jun 26, 2003

PGPUB-DOCUMENT-NUMBER: 20030120593

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030120593 A1

TITLE: Method and system for delivering multiple services electronically to

customers via a centralized portal architecture

PUBLICATION-DATE: June 26, 2003

#### INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Bansal, Amar Inder Singh	Union City	CA	US	
Beylerian, Armen	Alameda	CA	US	
Cross, Vincent	Allen	TX	US	
Davies, Michael H. Lloyd	El Cerrito	CA	US	
Lam, Eric Cheukfung	South San Francisco	CA	US	
Manowski, Michael	San Francisco	CA	US	
Oborne, Timothy William	South San Francisco	CA	US	
Orleman, Paul J.	Daly City	CA	US	
Reyes, Hector JR.	Foster City	CA	US	
von See, Christopher	Garland	TX	US	
Srinivasan, Nahendran	Union City	CA	US	
Tsang, John	Sunnyvale	CA	US	
Welf, Ronald T.	Montara	CA	US	
James, Rebeccah	Allen	TX	US	

US-CL-CURRENT: <u>705/39</u>; <u>705/36R</u>

Full Title Citation Front	Review Classification	Date Reference	Sequences Attachment	S Claims KNAC Drawn De
		<del>-</del> "		

6. Document ID: US 20030046296 A1

L6: Entry 6 of 9

File: PGPB

Mar 6, 2003

PGPUB-DOCUMENT-NUMBER: 20030046296

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030046296 A1

TITLE: Calendar-enhanced awareness for instant messaging systems and electronic

status boards

PUBLICATION-DATE: March 6, 2003

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Doss, J. Smith Raleigh NC US

Record List Display Page 4 of 6

Haverstock, Paul W. Acton MA US Kovales, Renee M. Cary NC US Pozefsky, Diane P. Chapel Hill NC US Sundstrom, Robert J. US Cary NC

US-CL-CURRENT: <u>707/102</u>

Full	T	tie	Citation	Frent	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KORAC	Draw De
								٠					
······					······································	······································		······································		·······			
<b>5</b>	7	D	0011220	nt ID:	115 20	002014777	7 A 1						

7. Document ID: US 20020147777 A1

L6: Entry 7 of 9

File: PGPB

Oct 10, 2002

PGPUB-DOCUMENT-NUMBER: 20020147777

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020147777 A1

TITLE: Apparatus and method for use in portal service for a team utilizing

collaboration services

PUBLICATION-DATE: October 10, 2002

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47 Hackbarth, Randy L. Western Springs US ILHerbsleb, James David Naperville ILUS Wills, Graham John Naperville ILUS

US-CL-CURRENT: 709/205; 709/227

Full Title Citation Front	Review Classification	Date Reference	Sequences	Attachments	Claims	Kwac Drai
·····		······································	******************	**************	••••••	······································

8. Document ID: US 20020143877 A1

L6: Entry 8 of 9 File: PGPB Oct 3, 2002

PGPUB-DOCUMENT-NUMBER: 20020143877

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020143877 A1

TITLE: Apparatus and method for use in a data/conference call system to provide

collaboration services

PUBLICATION-DATE: October 3, 2002

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47 Hackbarth, Randy L. Western Springs IL US Herbsleb, James David Naperville IL US

Wills, Graham John Naperville IL US

Record List Display Page 5 of 6

US-CL-CURRENT: 709/205; 715/751

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw Da

9. Document ID: US 20020143876 A1

L6: Entry 9 of 9

File: PGPB

Oct 3, 2002

PGPUB-DOCUMENT-NUMBER: 20020143876

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020143876 A1

TITLE: Apparatus and method for use in collaboration services

PUBLICATION-DATE: October 3, 2002

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47 Boyer, David Gray Oceanport NJ US Coplien, James Owen Wheaton US ILGrinter, Rebecca Elizabeth San Francisco CA US Hackbarth, Randy L. Western Springs ILUS Herbsleb, James David Naperville ILUS Jagadeesan, Lalita Jategaonkar Naperville ILUS Mataga, Peter Andrew Sparta Township NJ US Wills, Graham John Naperville ΙL US

US-CL-CURRENT: 709/205; 709/227

l Title Citation Front Review Classification Date Reference Sequences Attachme	ota i Claire I ingo
i inte i chaubii From i Review i chassinoation   Data   Relatence   Sequences   Attacamina	nte Claims KMC
ar Generate Collection Print Fwd Refs Bkwd Refs	Generate OA
Term	Documents
SUBSCRIB\$	0
SUBSCRIB	2996
SUBSCRIBA	14
SUBSCRIBABLE	25
SUBSCRIBABLECO	1
SUBSCRIBABLECOMPONENT	
SUBSCRIBAD	2
SUBSCRIBADAPTED	1
SUBSCRIBALSO	1
SUBSCRIBAN	

SUBSCRIBAND	1
(L5 AND	0
SUBSCRIB\$).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	

There are more results than shown above. Click here to view the entire set.

Display Format: - Change Format

Previous Page Next Page Go to Doc#

# Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins	
Term:	L5 and subscrib\$	
Display:	50 Documents in <u>Display Format</u> : - Starting with Number	1
Generate:	C Hit List @ Hit Count C Side by Side C Image	
600,0000	Search Clear Interrupt	
	Search History	······································

## DATE: Saturday, September 17, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,	USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=	YES; OP=OR	
<u>L6</u>	L5 and subscrib\$	9	<u>L6</u>
<u>L5</u>	L4 and status	. 13	<u>L5</u>
<u>L4</u>	L3 and (contact near information)	14	<u>L4</u>
<u>L3</u>	L2 and awareness	28	<u>L3</u>
<u>L2</u>	L1 and (calendar)	180	<u>L2</u>
<u>L1</u>	instant near messaging near systems	925	L1

END OF SEARCH HISTORY